

# PROFIVE® NUCV\_HS




## APPLICATIONS

The PROFIVE® NUCV was designed as a low power eNUC board with an excellent performance-per-watt ratio and is optimal adapted for:

- \_ AI Systems
- \_ ML Machine Learning
- \_ CV Computer Vision
- \_ Robotics
- \_ Mobile Systems
- \_ automotive power supply
- \_ Rugged Industrial Systems
- \_ no rotating parts, low power
- \_ Medical Solutions
- \_ AMD Ryzen™ performance
- \_ IoT
- \_ edge / fog gateway

<sup>1</sup>10 years availability according to CPU manufacturers specification  
<sup>2</sup>The NUCV supports only 35W TDP settings



HIGH QUALITY  
MADE IN GERMANY

AMD  
RYZEN  
Embedded

10 years  
long life  
support<sup>1</sup>




E.E.P.D.   
...just embedded!

# eNUC 101x101

## SPECIFICATIONS

CPU	AMD V1000 series <sup>1</sup> , up to 3.8 GHz Up to 4 cores, 8 threads, max. 35 W supported
Max. memory	Up to 32 GB dual channel DDR4 memory
Gigabit Ethernet	2 Intel® I210 with IEEE1588
SD-Card	1 MicroSD-Card socket
M.2 socket	1 Key B, 30 mm x 42 mm with onboard SIM Card socket 1 Key E, 22 mm x 30 mm 1 Key M, 22 mm x 42 mm (for NVMe and SATA only)
USB port	1 Dual USB 3.1 Gen2 (10Gb/s, fused to: 900mA each) 1 Rear USB 3.1 Gen2 (10Gb/s, fused to: 900mA) 1 internal USB 3.1 Gen2 (10Gb/s, fused to: 900mA)
Serial port	1 RS-232 and 1 RS-232/485 (FDX)
DP connector	2 Mini-DP++ connectors up to 4096 x 2160 @ 60 Hz
Sound	HDA with MIC In / headphone Out / Line In / Line Out
Health monitoring and management	Controllable FAN (PWM + Tacho), hardware monitoring and watchdog
fTPM	AMD firmware Trusted Platform Module
Other	Power and status LEDs, 4 GPIO (3.3V)
Power supply	Min. 8 V / Max. 32 V (DC) automotive grade   KL15/terminal15
Max. operating temp.	0°C to +60°C ambient commercial grade; sufficient cooling provided; other on request V1807B deviating 0°C to +50°C V1404I on request
Max. storage temp.	-40°C to +85°C
Max. relative humidity	95% @ 40°C, non-condensing
Size approx.	111 mm x 31 mm x 103 mm
Weight approx.	250g + options
OS support	Microsoft® Windows® 10; Microsoft® Windows® 10 IoT Enterprise; Linux Ubuntu 20.04 LTS


Ordering code	Description	Type / Size
NUCVAHS	eNUC	V1202B   2C   4T   2.3 GHz - 3.2 GHz   12 - 25W (OEM only)
NUCVFHS	eNUC	V1605B   4C   8T   2.0 GHz - 3.6 GHz   12 - 25W
NUCVCHS	eNUC	V1756B   4C   8T   3.25 GHz - 3.6 GHz   35 - 54W <sup>2</sup> (OEM only)
NUCVGHS	eNUC	V1807B   4C   8T   3.35 GHz - 3.8 GHz   35 - 54W <sup>2</sup>
NUCVHHS	eNUC	V1404I   4C   8T   2.0 GHz - 3.6 GHz   12 - 25W
4GB-NUCV_HS	Main Memory	4GB
8GB-NUCV_HS	Main Memory	8GB
16GB-NUCV_HS	Main Memory	16GB
32GB-NUCV_HS	Main Memory	32GB



Dual-Mini-DP-Support  
Single Display Max. 4096 x 2160 @ 60 Hz



Dual Gigabit Ethernet



Triple M.2 Sockets / WLAN\_BT / 4G\_5G / NVMe\_SATA

The information contained in this document has been carefully checked and is believed to be reliable. However, E.E.P.D. GmbH makes no guarantee or warranty concerning the accuracy of said information and shall not be responsible for any loss or damage of what ever nature resulting from the use of, or reliance upon, it. E.E.P.D. does not guarantee that the use of any information contained herein will not infringe upon the patent, trademark, copyright or other rights of third parties, and no patent or other license is implied hereby. AMD and the AMD logo are trademarks of Advanced Micro Devices, Inc. Intel and the Intel logo are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

This document does not in any way extend E.E.P.D.'s warranty on any product beyond that set forth in its standard terms and conditions of sale. E.E.P.D. reserves the right to make changes in the products or specifications, or both, presented in this publication at any time and without notice.

#### LIFE SUPPORT APPLICATIONS

E.E.P.D.'s products are not intended for use as critical components in life support appliances, devices or systems in which the failure of a E.E.P.D. product to perform could be expected to result in personal injury. All mentioned trademarks are registered trademarks of their owner.

©2024 by E.E.P.D. GmbH. All rights reserved. November 19 2024 - Version 1.1

## E.E.P.D. Electronic Equipment Produktion & Distribution GmbH

Gewerbering 3

85258 Weichs - Germany

Phone +49 8136 2282-0

Fax +49 8136 2282-109

Internet: [www.eepd.de](http://www.eepd.de)

E-Mail: [sales@eepd.de](mailto:sales@eepd.de)