



## APPLICATIONS

The **EM BSIP-NUCS** with **AMD Ryzen™ PRO 6000** was designed as a low power eNUC BoxPC with an excellent performance-per-watt ratio. With “**Zen 3” architecture** and **RDNA 2 iGPU** it is ideally suited for:

- \_ CV Computer Vision
- \_ High-Performance Workstations
- \_ AI Systems
- \_ Medical Solutions
- \_ ML Machine Learning
- \_ Robotics
- \_ Micro Server
- \_ Rugged Industrial Systems
  - no rotating parts, low power
- \_ IoT
  - edge / fog gateway





SPECIFICATIONS

CPU	AMD R6000 PRO series Up to 4.5 GHz, 6 cores, 12 threads, max. 28W supported
Max. memory	64 GB dual channel DDR5 SO-DIMM memory with ECC-support
Gigabit Ethernet	2 Intel® I226 with 2,5 Gbit/s   TSN-support   Wake-On-LAN supported by one port
M.2 socket	1 Key B, 30 mm x 42 mm with onboard SIM Card socket 1 Key E, 22 mm x 30 mm 1 Key M, 22 mm x 80 mm (for NVMe only)
USB ports	1 Dual USB 3.1 Gen2 (10Gb/s, fused to: 900mA each)
USB-C connector	2 USB-C 3.1 Gen2 or ALT-Mode support (10Gb/s, fused to 1500mA)
DP connectors	2 Mini-DP++ connectors up to 4096 x 2160 @ 60 Hz
Serial port	2 RS-232/485 (HDX/FDX)
Sound	HDA with MIC in / Headphone out at a 3.5 mm Audio Jack / Line in / Line out
fTPM / TPM	AMD firmware Trusted Platform TPM 2.0 support (Infineon SLB 9670)
Health monitoring and management	Hardware monitoring and watchdog
Power supply	Min. 10.8 V / Max. 26.4 V (DC)
Max. storage temp.	-40°C to +85°C
Max. relative humidity	95% @ 40°C, non-condensing
Size approx.	130 x 52 x 217 mm
Weight approx.	1.480g + options
OS support	Microsoft® Windows® 11 Microsoft® Windows® 10 IoT Enterprise Microsoft® Windows® 10 Linux Ubuntu 20.04 LTS



Ordering Code System	Description	Type
BSIP_NUCSC	eNUC System	6650U   6C   12T   2.9 GHz - 4.5 GHz   28W
4GB-NUCS	Main Memory	4 GB
8GB-NUCS	Main Memory	8 GB
16GB-NUCS	Main Memory	16 GB
32GB-NUCS	Main Memory	32 GB

The information contained in this document has been carefully checked and is believed to be reliable. However, E.E.P.D. GmbH makes no guarantee or warranty concerning the accuracy of said information and shall not be responsible for any loss or damage of what ever nature resulting from the use of, or reliance upon, it. E.E.P.D. does not guarantee that the use of any information contained herein will not infringe upon the patent, trademark, copyright or other rights of third parties, and no patent or other license is implied hereby. AMD and the AMD logo are trademarks of Advanced Micro Devices, Inc. Intel and the Intel logo are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

This document does not in any way extend E.E.P.D. 's warranty on any product beyond that set forth in its standard terms and conditions of sale. E.E.P.D. reserves the right to make changes in the products or specifications, or both, presented in this publication at any time and without notice.

LIFE SUPPORT APPLICATIONS: E.E.P.D. 's products are not intended for use as critical components in life support appliances, devices or systems in which the failure of a E.E.P.D. product to perform could be expected to result in personal injury. All mentioned trademarks are registered trademarks of their owner.

© 2024 by E.E.P.D. GmbH. All rights reserved. November 14 2024 – Version 1.2

**E.E.P.D. Electronic Equipment  
Produktion & Distribution GmbH**  
Gewerbering 3  
85258 Weichs - Germany  
Phone +49 8136 2282-0  
Fax +49 8136 2282-109  
Internet: [www.eepd.de](http://www.eepd.de)  
E-Mail: [sales@eepd.de](mailto:sales@eepd.de)