



APPLICATIONS

The EM BoxPC is the perfect Plug&Play system solution, specially designed for FANLESS applications.

Typical application areas include:

- ▶ Industrial Control and Automation
- ▶ Measurement and Control
- ▶ Medical
- ▶ Infotainment

BoxPC-75DH



BOXPC-75DH

FEATURES

- ▶ Powered by latest technology with support for Intel® Core™ 2 Duo Processor up to 1.86 GHz
- ▶ Mobile Intel® GS45 Express Chipset
- ▶ Four Gigabit Ethernet Ports
- ▶ Eight USB Ports, 4 COM Ports and optional two CAN Bus Ports
- ▶ One DVI-I, two DisplayPort and one TV OUT
- ▶ Supports up to 8GB DDR3 memory
- ▶ Wide range DC power input
- ▶ Design, Production and Support "Made in Germany"

BENEFITS

- ▶ Low emission, high immunity
- ▶ Long term availability
- ▶ Free of rotating parts
- ▶ Full software compatibility
- ▶ Rugged & reliable choice for demanding embedded applications
- ▶ Small installation depth
- ▶ Integration- and application-services, trainings





BoxPC-75DH

EM BoxPC

OVERVIEW

The EM BoxPC is powered by latest technology, including Intel® Core™ 2 Duo Processor up to 1,86 GHz and the Mobile Intel® GS45 Express Chipset. The perfect Plug&Play system solution optional automotive or standard grade harddisks, wireless module supporting GPRS, EDGE, UMTS and HSDPA is also available.

SPECIFICATION SUMMARY

- ▶ PC functionality
- ▶ Gigabit Ethernet Port
- ▶ SATA Interfacing
- ▶ Modem solution with SIM card socket

SPECIFICATIONS

CPU

Intel® Core™ 2 Duo - SL9400
1.86 GHz - 17W TDPmax
FSB 1066 MHz - 6 MB L2 Cache

Intel® Core™ 2 Duo - SU9300
1.2 GHz - 10W TDPmax
FSB 800 MHz - 3 MB L2 Cache

Intel® Celeron® M - C723
1.2 GHz - 10W TDPmax
FSB 800 MHz - 1 MB L2 Cache

CHIPSET

Mobile Intel® GS45 Express Chipset with Intel® ICH9M

SYSTEM MEMORY

Up to 8 GB DDR3 memory

SERIAL ATA INTERFACE

3x internal

EXTERNAL SERIAL ATA

1x eSATA

GIGABIT ETHERNET

4 Gigabit Ethernet Ports

WLAN

IEEE 802.11b/g (option)

WIRELESS

GPRS/EDGE/UMTS/HSDPA module (option)

USB 2.0 PORTS

8x Type A

COM PORTS

4x RS-232 Ports, 2x CAN Bus Ports (option)

PARALLEL PORT

Option

DVI-I

Analog VGA and Digital Video Interface

DISPLAYPORTS

2x DisplayPorts

TV OUT

1x TV OUT

SOUND

On board 4-channel High Definition Audio Interface (option)

MANAGEMENT

Hardware Monitoring and Watchdog

HARDDISK

Automotive or standard grade harddisks (option) or industrial flash disks (option)

POWER INPUT

DC: 8V (min) - 32V (max)
AC: 230V (option)
Others on request

EMI SHIELDING

CE, other upon request

FANLESS

Designed for fanless operation

SIZE

DC variant: Approximately (L x W x H)
235 mm x 150 mm x 71 mm
2U Rackmount Height

AC variant: Approximately (L x W x H)
235 mm x 230 mm x 71 mm
2U Rackmount Height

MOUNTING

Stand alone, Top Hat Rail Mounting, 19" 2U Rackmount Kit, others on request

TEMPERATURE RANGE

FANLESS Operation:
0°C to +50°C ambient
extended temperature ranges upon request

Storage:
-40°C to +85°C ambient

HUMIDITY

Maximum relative humidity of atmosphere non-condensing
Working up to 75% | Storage up to 95%



computers you can trust

EMTrust GmbH
Headquarters
Gewerbering 1
85258 Weichs - Germany
Phone +49 8136 80 677-800
Fax +49 8136 80 677-809
sales@emtrust.de
www.emtrust.de

Trucomp, Inc.
11555 Heron Bay Blvd
Suite 200
Coral Springs, FL 33076 - USA
Phone +1 954 603-0582
Fax +1 954 603-0581
sales@trucompusa.com
www.trucompusa.com

The information contained in this document has been carefully checked and is believed to be reliable. However, EMTrust GmbH makes no guarantee or warranty concerning the accuracy of said information and shall not be responsible for any loss or damage of what ever nature resulting from the use of, or reliance upon, it. EMTrust does not guarantee that the use of any information contained herein will not infringe upon the patent, trademark, copyright or other rights of third parties, and no patent or other license is implied hereby. Intel and Intel logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

This document does not in any way extend EMTrust's warranty on any product beyond that set forth in its standard terms and conditions of sale. EMTrust reserves the right to make changes in the products or specifications, or both, presented in this publication at any time and without notice.

LIFE SUPPORT APPLICATIONS

EMTrust's products are not intended for use as critical components in life support appliances, devices or systems in which the failure of a EMTrust product to perform could be expected to result in personal injury. All mentioned trademarks are registered trademarks of their owner.

© 2013 EMTrust GmbH. All rights reserved. Rev. 1.5 / 21.11.2013